

## LTS Research Laboratories, Inc. Safety Data Sheet Aluminum Cobalt Alloy

	1. Product and Company Identification		
Trade Name:	Aluminum cobalt alloy		
Chemical Formula:	Al/Co		
Recommended Use:	Scientific research and development		
Manufacturer/Supplier:	LTS Research Laboratories, Inc.		
Street:	37 Ramland Road		
City:	Orangeburg		
State:	New York		
Zip Code:	10962		
Country:	USA		
Tel #:	855-587-2436 / 855-lts-chem		
24-Hour Emergency Contact:	800-424-9300 (US & Canada) +1-703-527-3887 (International)		
	2. Hazards Identification		
Signal Word:	Danger		
Hazard Statements:	H228 Flammable solid. H250 Catches fire spontaneously if exposed to air. H261 In contact with water releases flammable gas. H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.		
	<ul><li>H250 Catches fire spontaneously if exposed to air.</li><li>H261 In contact with water releases flammable gas.</li><li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li><li>H317 May cause an allergic skin reaction.</li></ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture P363 Wash contaminated clothing before reuse.</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON</li> </ul>		
Hazard Statements: Precautionary Statements:	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> <li>P422 Store contents under inert gas.</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> <li>P422 Store contents under inert gas.</li> <li>P502 Dispose of contents/container in accordance with</li> </ul>		
Precautionary Statements:	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> <li>P422 Store contents under inert gas.</li> </ul>		
Precautionary Statements:	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> <li>P422 Store contents under inert gas.</li> <li>P502 Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>		
Precautionary Statements: HMIS Health Ratings (0-4):	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> <li>P422 Store contents under inert gas.</li> <li>P502 Dispose of contents/container in accordance with local/regional/national/international regulations.</li> <li>Powder Bulk</li> </ul>		
	<ul> <li>H250 Catches fire spontaneously if exposed to air.</li> <li>H261 In contact with water releases flammable gas.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficultie if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.</li> <li>P222 Do not allow contact with air.</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</li> <li>P422 Store contents under inert gas.</li> <li>P502 Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>		

3. Composition		
Chemical Family:	Metal alloy	
Additional Names:	None	
Aluminum (Al):		
Percentage:	0-100 wt%	
CAS #:	7429-90-5	
EC #:	231-072-3	
Cobalt (Co):		
Peracentage:	0-100 wt%	
CAS #:	7440-48-4	
EC #:	231-158-0	
	4. First Aid Procedures	
General Treatment:	Seek medical attention if symptoms persist.	
Special Treatment:	None	
Important Symptoms:	None	
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.	
	Seek medical attention	
Ingestion:	Seek medical attention	
Skin:	Wash affected area with mild soap and water. Seek medical attention	
Eyes:	Flush eyes with water, blinking often for several minutes. Remove	
	contact lenses if present and easy to do. Continue rinsing	
	5. Firefighting Measures	
	Flammable Flammable	
Extinguishing Media:	Do not use water for metal fires $-$ use CO <sub>2</sub> , sand, extinguishing powder.	
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective	
1	clothing to prevent contact with skin and eyes. See section 10 for	
	decomposition products.	
	6. Accidental Release Measures	
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in	
	special protection information. Isolate spill area and provide	
	ventilation. Vacuum up spill using a high efficiency particulate	
	absolute (HEPA) air filter and place in a closed container for disposal.	
	Take care not to raise dust.	
Environmental Precautions:	Isolate runoff to prevent environmental pollution.	
	7. Handling and Storage	
Handling Conditions:	Wash thoroughly after handling.	
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under inert	
	gas. Store apart from materials and conditions listed in section 10.	
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Handle under inert gas.	
	Protect from moisture. Wash thoroughly before eating and smoking. Do	
Vantilation	not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below	
Ventilation:	threshold limit.	

8. Exposure Controls and Personal Protection		
Permissible Exposure Limits:	0.1 mg/m <sup>3</sup> as Co, long-term value	
Threshold Limit Value:	$0.02 \text{ mg/m}^3$ as Co, long-term value	
Special Equipment:	None	
Respiratory Protection:	Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a	
	backup to engineering controls. Risk assessment should be performed	
	to determine if purifying respirators are appropriate. Only use	
	equipment tested and approved under appropriate government	
	standards.	
Protective Gloves:	Nitrile rubber, NBR	
Eye Protection:	Full face protection, Safety glasses or goggles	
Body Protection:	Protective work clothing. Wear close-toed shoes and long	
body Protection.	sleeves/pants.	
	9. Physical and Chemical Characteristics	
Color:	Grey	
Form:	Powder	
Odor:	Odorless	
Water Solubility:	powder: Contact with water liberates extremely flammable gases	
Boiling Point:	N/A	
Melting Point:	657-1640 °C	
Flash Point:	N/A	
Autoignition Temperature:	~400 °C for powders	
Density:	N/A	
Molecular weight:	undefined	
	10. Reactivity	
Stability: Reacts With:	Stable under recommended storage conditions N/A	
Incompatible Conditions:	Air, water, moisture, Oxidizing agents	
Hazardous Decomposition Products:	Metal oxide fume	
Trazardous Decomposition Products.		
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	May cause irritation	
Skin:	May cause allergic skin reaction	
Ingestion:	May cause irritation	
Inhalation:	May cause irritation	
Chronic:	N/A	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	6171 mg/kg for rat by mouth	
Carcinogen:	IARC-2B: Possibly carcinogenic to humans: limited evidence in human	
	in the absence of sufficient evidence in experimental animals.	
	ACGIH A3: Animal carcinogen: Agent is carcinogenic in experiment	
	animals at a relatively high dose, by routes of administration, at sites,	
	animals at a relatively high dose, by routes of administration, at sites, histologic types, or by mechanisms not considered relevant to worker	
	animals at a relatively high dose, by routes of administration, at sites, histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increase	
	animals at a relatively high dose, by routes of administration, at sites, histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increase risk of cancer in exposed humans. Available evidence suggests that the	

•

	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations
Dispose of in accordance with local, state,	, national, and international regulations.
	14. Transportation Data
Hazardous:	Hazardous as powder only.
	DANGEROUS RATE OLID
Hazard Class:	4.3 Substances which, in contact with water, emit flammable gases
Subclass:	4.1 Flammable solids
Packing Group:	II
UN Number:	UN3132
Proper Shipping Name:	Water-reactive solid, flammable, n.o.s. (Aluminum cobalt powder)
	15. Regulatory Information
Sec 302 Extremely Hazardous:	No C-P-Research
Sec 304 Reportable Quantities:	N/A
Sec 313 Toxic Chemicals:	Yes, Al, Co

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

07/13/2016