

LTS Research Laboratories, Inc. Safety Data Sheet Barium Bismuth Oxide

1. Product and Company Identification

Trade Name: Barium bismuth oxide

Chemical Formula: BaBiO₃

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Warning



Hazard Statements: H302+H332: Harmful if swallowed or inhaled

Precautionary Statements: P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P264: Wash thoroughly after handling

P304+340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P301+312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

3. Composition

Chemical Family: Ceramic

Additional Names: Barium bismuthate

Barium bismuth oxide (BaBiO₃):

Percentage: 100 wt% CAS #: N/A EC #: N/A

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.

Ingestion: Seek medical attention.

Skin: Wash affected area with mild soap and water.

Eyes: Flush eyes with water, blinking often for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

5. Firefighting Measures

Flammability: Non-flammable

Extinguishing Media: No special restrictions – use suitable extinguishing agent for

surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes. See section 10 for

decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store under inert

gas. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.5 mg/m³ as Ba, long-term value

Threshold Limit Value: 0.5 mg/m³ as Ba, long-term value

Special Equipment: None

Work/Hygienic Maintenance:

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics	
Color	N/A
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	394.304 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Water, strong oxidizing agents
Incompatible Conditions:	Water/moisture
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	Barium compounds may cause severe gastroenteritis, including
	abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis o
	the arms and legs, and slow or irregular heartbeat. Severe cases may
	produce collapse and death due to respiratory failure, soluble barium
	compounds are more likely to cause the effects than insoluble
	compounds. Inhalation of fumes may cause sore throat, coughing,
	labored breathing, and irritation of the respiratory tract as well as the
	above symptoms.
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	~4000 mg/kg for rat by mouth
Carcinogen:	N/A
	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous.



Hazard Class: 6.1 Toxic substances.

Packing Group: III UN Number: UN 1564

Proper Shipping Name: Barium compounds, n.o.s. (Barium bismuth oxide)

15. Regulatory Information

Sec 302 Extremely Hazardous:

Sec 304 Reportable Quantities:

N/A

Sec 313 Toxic Chemicals:

Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Research

Document Last Revised: 06/16/2015