

## LTS Research Laboratories, Inc. Safety Data Sheet Barium Sulfide – Copper Sulfide

1. Product and Company Identification
Barium sulfide – copper sulfide
$BaCu_2S_2$
Scientific research and development
LTS Research Laboratories, Inc.
37 Ramland Road
Orangeburg
New York
10962
USA
855-587-2436 / 855-lts-chem
800-424-9300 (US & Canada)
+1-703-527-3887 (International)
2. Hazards Identification
Warning
CTEV toratorias, inc.
H302+H332: Harmful if swallowed or if inhaled
P261 Avoid breathing dust/fume/vapor
P264: Wash thoroughly after handling.
P304+P340: IF INHALED: Remove victim to fresh air and keep at res
in a position comfortable for breathing
P301+P312: IF SWALLOWED: Call a POISON CENTER or
doctor/physician if you feel unwell
P312: Call a POISON CENTER or doctor/physician if you feel unwell
P501: Dispose of contents/container in accordance with local/regional/national/international regulations
2
2 0

3. Composition		
Chemical Family:	Salt	
Additional Names:	None	
Barium sulfide (BaS):		
Percentage:	0-100 wt%	
CAS #:	21109-95-5	
EC #:	244-214-4	
Copper sulfide (Cu <sub>2</sub> S):		
Percentage:	0-100 wt%	
CAS #:	22205-45-4	
EC #:	244-842-9	
	4. First Aid Procedures	
General Treatment:	Seek medical attention if symptoms persist.	
Special Treatment:	None	
Important Symptoms:	None	
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.	
Ingestion:	Seek medical attention.	
Skin:	Wash affected area with mild soap and water. Remove any	
	contaminated clothing.	
Eyes:	Flush eyes with water, blinking often for several minutes. Remove	
5	contact lenses if present and easy to do. Continue rinsing	
	The second s	
	5. Firefighting Measures	
Flammability:	Non-flammable bonatorias, Inc.	
Extinguishing Media:	Do not use water – use $CO_2$ , sand, extinguishing powder.	
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective	
	clothing to prevent contact with skin and eyes. See section 10 for	
	decomposition products.	
	6. Accidental Release Measures	
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in	
	special protection information. Isolate spill area and provide	
	ventilation. Vacuum up spill using a high efficiency particulate	
	absolute (HEPA) air filter and place in a closed container for disposal.	
	Take care not to raise dust.	
Environmental Precautions:	Isolate runoff to prevent environmental pollution.	
	7. Handling and Storage	
Handling Conditions:	Handle under dry protective gas. Wash thoroughly after handling.	
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under dry	
XX7. J. /IX	inert gas. Store apart from materials and conditions listed in section 10	
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before	
	eating and smoking. Do not blow dust off clothing or skin with	
	compressed air.	
	Provide sufficient ventilation to maintain concentration at or below	
Ventilation:	threshold limit.	

## 8. Exposure Controls and Personal Protection

	-		
Permissible Exposure Limits:	0.5 mg/m <sup>3</sup> as Ba, long-term value		
Threshold Limit Value:	$0.5 \text{ mg/m}^3$ as Ba, long-term value		
Special Equipment:	None		
Respiratory Protection:	Dust Respirator		
Protective Gloves:	Rubber gloves		
Eye Protection:	Safety glasses or goggles		
Body Protection:	Protective work clothing. Wear close-toed shoes and long		
	sleeves/pants.		
	9. Physical and Chemical Characteristics		
Color	Grey		
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts		
Odor:	Odorless		
Water Solubility:	Reacts with and liberates toxic gases		
Boiling Point:	N/A		

Boiling Point:	N/A	
Melting Point:	N/A	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	N/A	
Molecular weight:	N/A	
C		

10. Reactivity			
Stability:	Stable under recommended storage conditions		
Reacts With:	Water, Acids, Oxidizing agents Water/moisture		
Incompatible Conditions: Hazardous Decomposition Products:	Barium oxide, Sulfur oxide, Hydrogen sulfide, Copper oxides,		
Trazardous Decomposition i Toducts.	Metal oxide fume		
Note:	Barium sulfide, when in contact with water, releases toxic hydrogen sulfide gas (HS)		
	11. Toxicological Information		
Potential Health Effects:			
Eyes:	May cause irritation		
Skin:	May cause irritation		
Ingestion:	Harmful		
Inhalation:	Harmful		
Chronic:	N/A		
Signs & Symptoms:	N/A		
Aggravated Medical Conditions:	N/A		
Median Lethal Dose:	N/A		
Carcinogen:	N/A		
	12. Ecological Information		
Aquatic Toxicity:	Low		
Persistent Bioaccumulation Toxicity:	No		
Very Persistent, Very Bioaccumulative:	No		
Notes:	N/A		

## 13. Disposal Considerations

14. Transportation Data		
Hazardous:	Hazardous for transportation.	
	DANGEROUS INP 4 6	
Hazard Class:	4.3 Substances which, in contact with water, emit dangerous gases	
Secondary Class:	6.1 Toxic substances.	
Packing Group:	III UN3134	
UN Number:		
Proper Shipping Name:	Water-reactive solid, toxic, n.o.s. (Barium copper sulfide)	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes: Barium sulfide, Copper sulfide	
	16. Other Information	

Dispose of in accordance with local, state, national, and international regulations.

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

07/08/2015