

## LTS Research Laboratories, Inc. Safety Data Sheet Bismuth Sulfide

## 1. Product and Company Identification

Trade Name: Bismuth sulfide

Chemical Formula: Bi<sub>2</sub>S<sub>3</sub>

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

## 2. Hazards Identification

Signal Word: Warning



Hazard Statements: H315 Causes skin irritation.

H319 Causes serious eye irritation. H335: May cause respiratory irritation

Precautionary Statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 1
Flammability: 0
Physical: 1

## 3. Composition

Chemical Family: Ceramic Additional Names: None

Bismuth Sulfide (Bi<sub>2</sub>S<sub>3</sub>):

Percentage: 100 wt% CAS #: 1345-07-9 EC #: 215-716-0

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: None Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Seek Medical Attention. Ingestion: Wash affected area with mild soap and water. Remove any Skin: contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable Extinguishing Media: No special restrictions – use suitable extinguishing agent for surrounding material and type of fire. Use full-face, self-contained breathing apparatus with full protective Spec. Fire Fighting Procedure: clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. **Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage **Handling Conditions:** Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store apart from **Storage Conditions:** materials and conditions listed in section 10. Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: N/A Threshold Limit Value: N/A Special Equipment: None **Respiratory Protection: Dust Respirator** Protective Gloves: Rubber gloves Eye Protection: Safety glasses or goggles **Body Protection:** Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics			
Color	Brown		
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts		
Odor:	Odorless		
Water Solubility:	Insoluble N/A N/A N/A N/A N/A 7.7 g/cc		
Boiling Point:			
Melting Point:			
Flash Point: Autoignition Temperature: Density:			
		Molecular weight:	514.16 g/mol
			10. Reactivity
Stability:	Stable under recommended storage conditions		
Reacts With:	Oxidizing agents		
Incompatible Conditions:	None		
Hazardous Decomposition Products:	Metal oxide fume, Sulfur oxides (SO <sub>x</sub> ) Hydrogen sulfide		
	11. Toxicological Information		
Potential Health Effects:			
Eyes:	Causes serious eye damage		
Skin:	Causes skin irritation		
Ingestion:	May cause irritation		
Inhalation:	May cause irritation		
Chronic:	Bismuth and bismuth compounds are often poorly absorbed. Should		
	absorption occur, however, exposure may cause loss of appetite,		
	headache, skin rash, exodermatitis, kidney injury and jaundice.		
	Repeated or prolonged exposure may cause a bismuth line or black		
	spots on the gums, foul breath and salivation. Exposure to bismuth ma		
	cause injury to the mouth, esophagus and stomach. Symptoms may		
	include loss of appetite, headache, skin rash, kidney damage and		
	jaundice		
Signs & Symptoms:	N/A		
Aggravated Medical Conditions:	N/A		
Median Lethal Dose:	5000 mg/kg for rat by mouth		
Carcinogen:	N/A		
	12. Ecological Information		
Aquatic Toxicity:	Low		
Persistent Bioaccumulation Toxicity:	No		
Very Persistent, Very Bioaccumulative:	No		
Notes:	N/A		
	13. Disposal Considerations		

Dispose of in accordance with local, state, national, and international regulations.

Hazardous:	Not hazardous for transportation.	
Hazard Class:	N/A	
Packing Group:	N/A	
UN Number:	N/A	
Proper Shipping Name:	N/A	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	No	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/08/2015

