

LTS Research Laboratories, Inc. Safety Data Sheet Bismuth tribromide

1. Product and Company Identification

Trade Name: Bismuth tribromide

Chemical Formula: BiBr₃

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H314: Causes severe skin burns and eye damage.

Precautionary Statements: P260: Do not breathe dust or mist.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/ Take off

immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/ container to an approved waste disposal

plant.

HMIS Health Ratings (0-4):

Health: 3 Flammability: 0 Physical: 1

3. Composition	
Chemical Family:	Nonmetal
Additional Names:	Bismuth (III) bromide
Bismuth tribromide (BiBr ₃):	
Percentage:	100 wt%
CAS #:	7787-58-8
EC #:	232-121-1
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Keep patient warm. Seek immediate medical attention.
Ingestion:	Seek immediate medical attention.
Skin:	Immediately wash affected area with mild soap and water. Remove any
	contaminated clothing. Seek immediate medical attention.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing. Seek
	immediate medical attention.
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for
Latinguishing Wedia.	surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Keep unprotected persons away. Isolate
	spill area and provide ventilation. Use neutralizing agents. Vacuum up
	spill using a high efficiency particulate absolute (HEPA) air filter and
Environmental Precautions:	place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution.
	isolate ranon to prevent environmental politicion.
	7. Handling and Storage
Handling Conditions:	Handle under dry protective gas. Avoid contact with the eyes and skin. Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under dry
	inert gas. Store away from water/moisture, acids, oxidizing agents. This
	product is hygroscopic. Protect from humidity and water. Store apart
	from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before
	eating and smoking. Do not blow dust off clothing or skin with
Vantilation.	compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.
	uneshold innit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: N/A
Threshold Limit Value: N/A

Special Equipment: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100 feet per

minute.

Respiratory Protection: Dust Respirator

Protective Gloves: Nitrile rubber gloves with minimum thickness of 0.11 mm

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color N/A

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Acidio

Water Solubility: Decomposes in contact with water

Boiling Point: 453 °C

Melting Point: 218 °C

Flash Point: N/A

Autoignition Temperature: N/A

Density: 5.72 g/cc

Molecular weight: 448.69 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions
Reacts With: Oxidizing agents, water/moisture, acids

Incompatible Conditions: Water/moisture, air

Hazardous Decomposition Products: Metal oxide fume, hydrogen bromide, bismuth oxide

11. Toxicological Information

Potential Health Effects:

Eyes: Causes serious eye damage Skin: Causes severe skin burns

Ingestion: Swallowing will lead to strong corrosive effect on mouth and throat and

to the danger of perforation of esophagus and stomach.

Inhalation: May cause respiratory irritation

Chronic: Symptoms of chronic bismuth toxicity in humans consists of decreased

appetite, weakness, rheumatic pain, diarrhea, fever, metal line on the

gums, foul breathe, gingivitis, and dermatitis. Jaundice and

conjunctival hemorrhage are rare but have been reported. Bismuth nephropathy with proteinuria may occur. The kidney is the site of highest concentration with the liver being considerably lower. Bismuth does pass into the amniotic fluid and into the fetus. Material is

extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Signs & Symptoms: Cough, Shortness of breath, Headache

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: IARC: No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

12. Ecological Information

Aquatic Toxicity: N/A
Persistent Bioaccumulation Toxicity: N/A
Very Persistent, Very Bioaccumulative: N/A

Very Persistent, Very Bioaccumulative: Notes: D

Do not allow undiluted product or large quantities to reach ground

water, water course or sewage system. Avoid transfer into the environment.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 8 Corrosive substances

Packing Group: II UN Number: UN3260

Proper Shipping Name: Corrosive solid, acidic, inorganic, n.o.s. (Bismuth(III) bromide)

15. Regulatory Information

Sec 302 Extremely Hazardous:NoSec 304 Reportable Quantities:N/ASec 313 Toxic Chemicals:No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 10/02/2018