

LTS Research Laboratories, Inc. Safety Data Sheet Magnesium Molybdenum Oxide

1. Product and Company Identification

Trade Name: Magnesium molybdenum oxide

Chemical Formula: MgMoO₄

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Warning



Hazard Statements: H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation

Precautionary Statements: P261 Avoid breathing dust/fume/vapor

P280 Wear protective gloves/clothing/facewear

P305+P351 If in eyes: Rinse cautiously with water for several minutes.

P204+P340 In inhaled Remove person to fresh air

HMIS Health Ratings (0-4):

Health: 1
Flammability: 0
Physical: 0

3. Composition

Chemical Family: Ceramic

Additional Names: Magnesium molybdate

Magnesium molybdenum oxide (MgMoO₄):

Percentage: 100 wt% CAS #: 13767-03-8 EC #: 234-581-9 4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Skin:

Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Ingestion:

Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.

Wash affected area with mild soap and water. Remove any

contaminated clothing.

Flush eyes with water, blinking often for several minutes. Remove Eyes:

contact lenses if present and easy to do. Continue rinsing

5. Fire and Explosion Hazards Data

Flammability: Non-flammable

Flash Point: N/A Autoignition Temperature: N/A

Extinguishing Media: No special restrictions – use suitable extinguishing agent for

surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

Wear appropriate respiratory and protective equipment specified in If Material Is Released/Spilled:

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container.

Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance:

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Provide sufficient ventilation to maintain concentration at or below Ventilation:

threshold limit.

8. Exposure Controls and Personal Protection

15 mg/m³ as Mo dust Permissible Exposure Limits: Threshold Limit Value: $10 \text{ mg/m}^3 \text{ as Mo}$

Special Equipment: None

Respiratory Protection: Dust Respirator, NIOSH approved

Protective Gloves: Rubber gloves

Eve Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9.	Physical and Chemical Characteristics
Color	Off white
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Density:	2.208 g/cc
Molecular weight:	184.25 g/mol
Wiolectiai weight.	104.25 g/11101
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	Causes irritation
Skin:	Causes serious eye irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	Acute molybdenum poisoning may cause severe gastrointestinal
Chrome.	irritation, diarrhea, coma and death from cardiac failure. Chronic
	molybdenum poisoning in laboratory animals has caused loss of
	weight, anorexia, anemia, deficient lactation, male sterility,
	osteoporosis and bone joint abnormalities.
	1 7
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	N/A
	12. Ecological Information
Ecological data is not available.	
	13. Disposal Considerations
Dispose of in accordance with local, stat	te, national, and international regulations.
	14. Transportation Data
Hazardous:	Not hazardous for transportation.
Hazard Class:	N/A
Packing Group:	N/A
UN Number:	N/A
Proper Shipping Name:	N/A
roper simpping rame.	11/11

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	No	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 11/25/2014

