

LTS Research Laboratories, Inc. Safety Data Sheet Molybdenum Nickel Alloy

1. Product and Company Identification

Trade Name: Molybdenum nickel alloy

Chemical Formula: Mo/Ni

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228: Flammable solid

H317: May cause an allergic skin reaction H351: Suspected of causing cancer

H372: Causes damage to organs through prolonged or repeated

exposure

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/equipment

P363: Wash contaminated clothing before reuse

P370+P378: In case of fire: Use CO₂, powder or water spray for

extinction

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4): Powder Bulk Health: 1

 Health:
 1
 1

 Flammability:
 3
 0

 Physical:
 1
 0

3. Composition		
Chemical Family:	Alloy	
Additional Names:	None	
Molybdenum (Mo):		
Percentage:	0-100 at%	
CAS #:	7439-98-7	
EC #:	231-107-2	
Nickel (Ni):		
Percentage:	0-100 at%	
CAS #:	7440-02-0	
EC #:	231-111-4	
	4. First Aid Procedures	
General Treatment:	Seek medical attention if symptoms persist.	
Special Treatment:	None	
Important Symptoms:	None	
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.	
Ingestion:	Seek medical attention.	
Skin:	Wash affected area with mild soap and water. Remove any	
-	contaminated clothing.	
Eyes:	Flush eyes with water, blinking often for several minutes. Remove	
	contact lenses if present and easy to do. Continue rinsing	
	5. Firefighting Measures	
FI	- Research	
Flammability:	Non-flammable, except as powder	
Extinguishing Media:	Do not use water for metal fires – use CO ₂ , sand, extinguishing powder	
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective	
	clothing to prevent contact with skin and eyes. See section 10 for	
	decomposition products.	
	6. Accidental Release Measures	
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in	
	special protection information. Isolate spill area and provide	
	ventilation. Vacuum up spill using a high efficiency particulate	
	absolute (HEPA) air filter and place in a closed container for disposal.	
T	Take care not to raise dust.	
Environmental Precautions:	Isolate runoff to prevent environmental pollution.	
	7. Handling and Storage	
Handling Conditions:	Wash thoroughly after handling.	
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.	
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before	
	eating and smoking. Do not blow dust off clothing or skin with	
	compressed air.	
Ventilation:	Provide sufficient ventilation to maintain concentration at or below	
	threshold limit.	

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 1 mg/m³ as Ni, long-term value

Threshold Limit Value: 1.5 mg/m³ as Ni, inhalable fraction, long-term value

Special Equipment: None

Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a **Respiratory Protection:**

> backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Penetration time of glove material: 480 minutes

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Silvery grey

Powder, Granules, Pellets, Sputtering target, Custom parts Form:

Odor: **Odorless** Water Solubility: Insoluble **Boiling Point:** N/A Melting Point: N/A Flash Point: N/A

Autoignition Temperature: N/A Density: N/A

Molecular weight: N/A

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Acids, Halogens, Oxidizing agents

Incompatible Conditions: None

Hazardous Decomposition Products: Molybdenum oxide, Nickel oxides, Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: Causes irritation
Skin: May cause irritation
Ingestion: May cause irritation
Inhalation: May cause irritation

Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: Suspected of causing cancer.

IARC-2B: Possibly carcinogenic to humans: limited evidence in human

in the absence of sufficient evidence in experimental animals.

NTP-R: Reasonably anticipated to be a carcinogen, limited evidence of

carcinogenicity from epidemiologic studies.

ACGIH A5: Not suspected as a human carcinogen: Not suspected as a human carcinogen on the basis of properly conducted epidemiologic studies in humans. Studies have sufficiently long follow-up, reliable exposure histories, sufficiently high dost, and adequate statistical power to conclude that exposure to the agent does not convey a significant risk of cancer to humans. Evidence suggesting a lack of carcinogenicity in experimental animals will be considered if it is supported by other

12. Ecological Information

relevant data.

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No Notes: N/A

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.

FLANIMABLE SOLID

Hazard Class: 4.1 Flammable solids, self-reactive substances and solid desensitized

explosives.

Packing Group: III UN Number: UN3089

Proper Shipping Name: Metal powders, flammable, n.o.s. (Molybdenum nickel alloy)

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Component: Nickel	
	16. Other Information	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 06/30/2015

