

LTS Research Laboratories, Inc. Safety Data Sheet Nickel Silicide

1. Product and Company Identification

Trade Name: Nickel silicide

Chemical Formula: NiSi₂

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H317: May cause an allergic skin reaction

H350: May cause cancer.

H372: Causes damage to organs through prolonged or repeated

exposure

Precautionary Statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P263: Avoid contact during pregnancy/while nursing

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 1 Flammability: 0 Physical: 0

3. Composition

Chemical Family: Ceramic
Additional Names: Nickel disicide

Nickel silicide (NiSi₂):

Percentage: 0-100 wt% CAS #: 12201-89-7 EC #: NIL

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Skin:

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Ingestion: Give one to two glasses of water and induce vomiting. Never induce.

Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.

Wash affected area with mild soap and water. Remove any

wash affected area with finid soap and water. Remove any

contaminated clothing.

Eyes: Flush eyes with water, blinking often for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

5. Firefighting Measures

Flammability: Non-flammable

Extinguishing Media: No special restrictions – use suitable extinguishing agent for

surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes. See section 10 for

decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 1 mg/m³ as Ni, long-term value

Threshold Limit Value: 0.2 mg/m³ as Ni, long-term value

Special Equipment: None

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Green

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor:
Water Solubility:
Boiling Point:
N/A
Melting Point:
N/A
Flash Point:
N/A
Autoignition Temperature:
N/A
N/A
N/A

Molecular weight: 114.88 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Oxidizing agents

Incompatible Conditions: None

Hazardous Decomposition Products: Metal oxide fume, Silicon oxide

11. Toxicological Information

Potential Health Effects:

Eyes:May cause irritationSkin:May cause irritationIngestion:May cause irritationInhalation:May cause irritation

Chronic: Inorganic silicon compounds may be acute inhalation irritants.

Prolonged inhalation may cause pulmonary fibrosis known as

silicosis.

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and

asphyxia. Airborne nickel contaminated dusts are regarded as

carcinogenic to the respiratory tract.

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: IARC-1: Carcinogenic to humans: sufficient evidence of

carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical

evidence in, exposed humans. Carcinogen as defined by OSHA.

NTP-K: Known to be carcinogenic: sufficient evidence from human

studies

NTP-R: Reasonably anticipated to be a carcinogen, limited evidence of

carcinogenicity from epidemiologic studies.

12. Ecological Information

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No

Very Persistent, Very Bioaccumulative: Notes:

Very toxic for aquatic organism.

May cause long lasting harmful effect on aquatic life.

Do not allow material to be released to the environment without proper

governmental permits.

Do not allow product to reach any water sources.

ponatorias, Inc.

Danger to drinking water if even extremely small quantities leak into

the ground.

Also poisonous for fish and plankton in water bodies.

Avoid transfer into the environment.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation.



Hazard Class: 9 Miscellaneous dangerous substances and articles.

Packing Group: III UN Number: UN3077

Proper Shipping Name: Environmentally hazardous substances, solid, n.o.s. (Nickel silicide)

-15 R	eoni	latory]	Inforn	nation

Sec 302 Extremely Hazardous:

No
Sec 304 Reportable Quantities:

N/A
Sec 313 Toxic Chemicals:

No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/13/2015