LTS Research Laboratories, inc.

LTS Research Laboratories, Inc. Safety Data Sheet Antimony oxide

	1. Product and Company Identification
Trade Name:	Antimony oxide
Chemical Formula:	Sb ₂ O ₃
Recommended Use:	Scientific research and development
Manufacturer/Supplier:	LTS Research Laboratories, Inc.
Street:	37 Ramland Road
City:	Orangeburg
State:	New York
Zip Code:	10962
Country:	USA
Tel #:	855-587-2436 / 855-lts-chem
24-Hour Emergency Contact:	800-424-9300 (US & Canada)
	+1-703-527-3887 (International)
	2. Hazards Identification
Signal Word:	Warning
Hazard Statements:	H351 Suspected of causing cancer
	H351 Suspected of causing cancer P281 Use personal protective equipment as required
Precautionary Statements:	P308+P318 IF exposed or concerned: Get medical advice/attention
	P405 Store locked up P501 Dispass of contents/container in accordance with
	P501 Dispose of contents/container in accordance with local/regional/national/international regulations
HMIS Health Ratings (0-4):	
Health:	1
Flammability:	0
Physical:	1
•	
	3. Composition
Chemical Family:	Ceramic
	-
Chemical Family: Additional Names: Antimony oxide (Sb ₂ O ₃):	Ceramic Antimony (III) Oxide, Antimony Trioxide, Antimony white
Chemical Family: Additional Names: Antimony oxide (Sb ₂ O ₃): Percentage:	Ceramic Antimony (III) Oxide, Antimony Trioxide, Antimony white 100 wt%
Chemical Family: Additional Names: Antimony oxide (Sb ₂ O ₃):	Ceramic Antimony (III) Oxide, Antimony Trioxide, Antimony white

	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
nhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
ingestion:	Seek medical attention
Skin:	Wash affected area with mild soap and water.
Eyes:	Flush eyes with water, blinking often for several minutes.
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for
0	surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
I	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal
	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	La
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
	Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store apart from
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Storage Conditions: Work/Hygienic Maintenance:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before
Storage Conditions: Work/Hygienic Maintenance:	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Storage Conditions: Work/Hygienic Maintenance: Ventilation:	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below
Handling Conditions: Storage Conditions: Work/Hygienic Maintenance: Ventilation: 	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. H Permissible Exposure Limits:	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. H Permissible Exposure Limits: Fhreshold Limit Value:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m ³ as Sb, long-term value
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. F Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. F Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. F Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. F Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment:	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. F Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. H Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment: Respiratory Protection:	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. H Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves:	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Butyl rubber, BR gloves
Storage Conditions: Work/Hygienic Maintenance: Ventilation: 8. I	 Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. Exposure Controls and Personal Protection 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

9. P	hysical and Chemical Characteristics
Color	White
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Soluble
Boiling Point:	1425 °C
Melting Point:	656 °C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	2.087 g/cc
Molecular weight:	291.5 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/A
Signs & Symptoms:	
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	>34,600 mg/kg for rat by mouth
Carcinogen:	Suspected of causing cancer: possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals
	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations
Dispose of in accordance with local, state,	, national, and international regulations.
	14. Transportation Data
Hazardous:	Not hazardous for transportation.
Hazard Class:	N/A
	N/A
Packing Group:	
Packing Group: UN Number: Proper Shipping Name:	N/A N/A

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes	

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

06/12/2015

