

LTS Research Laboratories, Inc. Safety Data Sheet Antimony oxide

1. Product and Company Identification		
Trade Name:	Antimony oxide	
Chemical Formula:	SbO	
Recommended Use:	Scientific research and development	
Manufacturer/Supplier:	LTS Research Laboratories, Inc.	
Street:	37 Ramland Road	
City:	Orangeburg	
State:	New York	
Zip Code:	10962	
Country:	USA	
Tel #:	855-587-2436 / 855-lts-chem	
24-Hour Emergency Contact:	800-424-9300 (US & Canada)	
	+1-703-527-3887 (International)	
	2. Hazards Identification	
Signal Word:	Warning	
Hazard Statements: Precautionary Statements:	H351 Suspected of causing cancer P201 Obtain special instructions before use	
	P202 Do not handle until all safety precautions have been read and understood	
	P281 Use personal protective equipment as required	
	P308+P318 IF exposed or concerned: Get medical advice/attention	
	P405 Store locked up	
	P501 Dispose of contents/container in accordance with local/regional/national/international regulations	
HMIS Health Ratings (0-4):		
Health:	1	
Flammability:	0	
Physical:	1	
	3. Composition	
Chemical Family:	Ceramic	
Additional Names:	Antimony monoxide	
 The second se Second second secon second second sec		
Percentage:	100 wt%	
Antimony oxide (SbO): Percentage: CAS #: EC #:	100 wt% N/A N/A	

	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
ngestion:	Seek medical attention
Skin:	Wash affected area with mild soap and water.
Eyes:	Flush eyes with water, blinking often for several minutes.
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for
	surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
f Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
ľ	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal
	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	The stories, inc.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before
	eating and smoking. Do not blow dust off clothing or skin with
	compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below
	threshold limit.
8.	Exposure Controls and Personal Protection
	Exposure Controls and Personal Protection 0.5 mg/m ³ as Sb, long-term value
Permissible Exposure Limits:	•
Permissible Exposure Limits: Threshold Limit Value:	0.5 mg/m ³ as Sb, long-term value
Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value
Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a
Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment:	0.5 mg/m ³ as Sb, long-term value 0.5 mg/m ³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a
Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment:	 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed
Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment:	 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use
Permissible Exposure Limits: Fhreshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves:	 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Butyl rubber, BR gloves
Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves: Eye Protection:	 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Butyl rubber, BR gloves Safety glasses or goggles
8. Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves: Eye Protection: Body Protection:	 0.5 mg/m³ as Sb, long-term value 0.5 mg/m³ as Sb, long-term value None Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Butyl rubber, BR gloves

9. Physical and Chemical Characteristics		
Color	White	
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts	
Odor:	Odorless	
Water Solubility:	Soluble	
Boiling Point:	N/A	
Melting Point:	~656 °C	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	N/A	
Molecular weight:	N/A	
	10. Reactivity	
Stability:	Stable under recommended storage conditions	
Reacts With:	Oxidizing agents	
Incompatible Conditions:	None	
Hazardous Decomposition Products:	Metal oxide fume	
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	May cause irritation	
Skin:	May cause irritation	
Ingestion:	May cause irritation	
Inhalation:	May cause irritation	
Chronic:	N/A	
Signs & Symptoms:		
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	>34,600 mg/kg for rat by mouth as Sb ₂ O ₃	
Carcinogen:	Suspected of causing cancer.	
	IARC-2B: Possibly carcinogenic to humans: limited evidence in human	
	in the absence of sufficient evidence in experimental animals.	
	12. Ecological Information	
Aquatic Toxicity:	Low	
Persistent Bioaccumulation Toxicity:	No	
Very Persistent, Very Bioaccumulative:	No	
Notes:	N/A	
	13. Disposal Considerations	
Dispose of in accordance with local, state	, national, and international regulations.	
	14. Transportation Data	
Hazardous:	Not hazardous for transportation.	
Hazard Class:	N/A	
Packing Group:	N/A	
UN Number:	N/A	
Proper Shipping Name:	N/A	
I I II O IIII		

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	No	

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

06/12/2015

