

LTS Research Laboratories, Inc. Safety Data Sheet Silicon Tantalum Tungsten Cerium Alloy

1. Product and Company Identification

Trade Name: Silicon tantalum tungsten cerium

Chemical Formula: Si-Ta-W-Ce

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228 Flammable solid

H260 Contact with water releases flammable gases

H315 Causes skin irritation H319 Causes serious eye irritation

Precautionary Statements: P210 Keep away from heat/sparks. No smoking.

P261 Avoid breathing dust/fume/vapor

P305+P351 If in eyes: Rinse cautiously with water for several minutes.

HMIS Health Ratings (0-4):

Health: 1 Flammability: 2 Physical: 1

3. Composition	
Chemical Family:	Metal alloy
Additional Names:	None
Silicon (Si):	
Percentage:	1-99 wt%
CAS #:	7440-21-3
EC #:	231-130-8
Tantalum (Ta):	
Percentage:	1-99 wt%
CAS #:	7440-25-7
EC #:	231-135-5
Tungsten (W):	
Percentage:	1-99 wt%
CAS #:	7440-33-7
EC #:	231-143-9
Cerium (Ce):	
Percentage:	1-50 wt%
CAS #:	7440-45-1
EC #:	231-154-9
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None Research
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.
Skin:	Wash affected area with mild soap and water. Remove any
P	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Flammable; contact with water releases flammable gas
Extinguishing Media:	Do not use water for metal fires – use CO ₂ , sand, extinguishing powder
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal.
	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.

7. Handling and Storage **Handling Conditions:** Wash thoroughly after handling. **Storage Conditions:** Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance: eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below Ventilation: threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: 5 mg/m³ as Ta, long-term value Threshold Limit Value: 5 mg/m³ as Ta, long-term value Special Equipment: None **Respiratory Protection: Dust Respirator** Protective Gloves: Rubber gloves Eye Protection: Safety glasses or goggles **Body Protection:** Protective work clothing. Wear close-toed shoes and long sleeves/pants. 9. Physical and Chemical Characteristics Color Grey Powder, Granules, Pellets, Sputtering target, Custom parts Form: Odor: Odorless Insoluble, may evolve flammable gas Water Solubility: **Boiling Point:** N/A gratorias, inc. **Melting Point:** N/A Flash Point: N/A Autoignition Temperature: N/A Density: N/A Molecular weight: N/A 10. Reactivity Stability: Stable under recommended storage conditions

Reacts With: Oxidizing agents, Water

Incompatible Conditions: None

Hazardous Decomposition Products: Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: May cause irritation
Skin: May cause irritation
Ingestion: May cause irritation
Inhalation: May cause irritation

Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No Notes: N/A

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data



Hazard Class: 4.1 Flammable solids

Packing Group:

UN Number: UN3089 or UN3178

Proper Shipping Name: Metal powder, flammable, n.o.s. (Silicon tantalum tungsten cerium)

Or Flammable solid, n.o.s. (silicon tantalum tungsten cerium)

15. Regulatory Information

Sec 302 Extremely Hazardous:
Sec 304 Reportable Quantities:
Sec 313 Toxic Chemicals:

No
N/A
No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 03/05/2015