

LTS Research Laboratories, Inc. Safety Data Sheet Samarium Nickel Oxide

1. Product and Company Identification		
Trade Name:	Samarium nickel oxide	
Chemical Formula:	SmNiO ₃	
Recommended Use:	Scientific research and development	
Manufacturer/Supplier:	LTS Research Laboratories, Inc.	
Street:	37 Ramland Road	
City:	Orangeburg	
State:	New York	
Zip Code:	10962	
Country:	USA	
Tel #:	855-587-2436 / 855-lts-chem	
24-Hour Emergency Contact:	800-424-9300 (US & Canada)	
	+1-703-527-3887 (International)	
	2. Hazards Identification	
Signal Word:	Danger	
	I	
	New York Constraints, Inc.	
Hazard Statements:	H317: May cause an allergic skin reaction	
	H350: May cause cancer.	
	H372: Causes damage to organs through prolonged or repeated	
	exposure	
Precautionary Statements:	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
	P280: Wear protective gloves/protective clothing/eye protection/face	
	protection	
	P263: Avoid contact during pregnancy/while nursing	
	P405: Store locked up	
	P501: Dispose of contents/container in accordance with	
	local/regional/national/international regulations	
HMIS Health Ratings (0-4):		
Health:	2	
Flammability:	0	
Physical:	1	
	3. Composition	
Chemical Family:	Ceramic	
Additional Names:	None	
Samarium nickel oxide (SmNiO ₃): Percentage:	100 wt%	
CAS #:	NIL	
EC #:	NIL	
LC #.	INIL	

	4. First Aid Procedures		
General Treatment:	Seek medical attention if symptoms persist.		
Special Treatment:	None		
Important Symptoms:	None		
nhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.		
ingestion:	Seek Medical Attention.		
Skin:	Wash affected area with mild soap and water. Remove any		
_	contaminated clothing.		
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing		
	5. Firefighting Measures		
Flammability:	Non-flammable		
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for		
	surrounding material and type of fire.		
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective		
	clothing to prevent contact with skin and eyes. See section 10 for decomposition products.		
	6. Accidental Release Measures		
f Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in		
i materiar is Released Spined.	special protection information. Isolate spill area and provide		
	ventilation. Vacuum up spill using a high efficiency particulate		
	absolute (HEPA) air filter and place in a closed container for disposal		
	Take care not to raise dust.		
Environmental Precautions:	Isolate runoff to prevent environmental pollution.		
	7. Handling and Storage		
Handling Conditions:	Wash thoroughly after handling.		
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from		
	materials and conditions listed in section 10.		
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before		
	eating and smoking. Do not blow dust off clothing or skin with		
Ventilation:	compressed air. Provide sufficient ventilation to maintain concentration at or below		
ventriation.	threshold limit.		
8.	Exposure Controls and Personal Protection		
Permissible Exposure Limits:	1 mg/m ³ as Ni, long-term value		
Threshold Limit Value:	0.2 mg/m ³ as Ni, long-term value		
Special Equipment:	None		
Respiratory Protection:	Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a		
	backup to engineering controls. Risk assessment should be performed		
	to determine if air-purifying respirators are appropriate. Only use		
	equipment tested and approved under appropriate government		
	standards.		
Protective Gloves:	Nitrile rubber, NBR 0.11mm thick		
Eye Protection:	Safety glasses or goggles		
Body Protection:	Protective work clothing. Wear close-toed shoes and long		
	sleeves/pants.		

9. P	hysical and Chemical Characteristics
Color	N/A
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	257.11 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/A
	Respect
Signs & Symptoms:	
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	IARC-1: Carcinogenic to humans: sufficient evidence of
	carcinogenicity.
	ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to
	humans based on epidemiologic studies of, or convincing clinical
	evidence in, exposed humans.
	Carcinogen as defined by OSHA.
	NTP-K: Known to be carcinogenic: sufficient evidence from human
	studies.
	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

Hazardous:	Not hazardous for transportation.	
Hazard Class:	N/A	
Packing Group:	N/A	
UN Number:	N/A	
Proper Shipping Name:	N/A	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

07/14/2015

