

LTS Research Laboratories, Inc. Safety Data Sheet Tellurium Arsenic Selenium Sulfur Germanium Silicon

1. Product and Company Identification

Trade Name: Tellurium arsenic selenium sulfur germanium silicon

Chemical Formula: Te-As-Se-S-Ge-Si

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H301 Toxic if swallowed

H330 Toxic if inhaled

Precautionary Statements:

P261 Avoid breathing dust/fume/vapor

 $P280: We ar protective \ gloves/protective \ clothing/eye \ protection/face$

protection

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do –

continue rinsing

P403+P233: Store in a well ventilated place. Keep container tightly

closed

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 3 Flammability: 1 Physical: 1

3. Composition	
Chemical Family:	Semimetallic alloy (chalcogenide glass)
Additional Names:	TASSGS
Tellurium (Te):	
Percentage:	0-100 wt%
CAS #:	13494-80-9
EC #:	236-813-4
Arsenic (As):	
Percentage:	0-100 wt%
CAS #:	7440-38-2
EC #:	231-148-6
Selenium (Se):	
Percentage:	0-100 wt%
CAS #:	7782-49-2
EC #:	231-957-4
Sulfur (S):	
Percentage:	0-100 wt%
CAS #:	7704-34-9
EC #:	231-722-6
Germanium (Ge):	
Percentage:	0-100 wt%
CAS #:	7440-56-4
EC #:	231-164-3
Silicon (Si):	
Percentage:	0-100 wt%
CAS #:	7440-21-3
EC #:	231-130-8
	Research
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	Immediately remove any clothing soiled by the product. Remove
Special Treatment	breathing apparatus only after contaminated clothing has been
	completely removed. In case of irregular breathing or respiratory arrest
	provide artificial respiration.
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek medical attention.
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions - use suitable extinguishing agent for
Examplianing Modia.	surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
Spec. I no Figuring Frocedure.	clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.01 mg/m³ as As, long-term value Threshold Limit Value: 0.01 mg/m³ as As, long-term value

Biological Exposure Index: 35 mg/m³ as Arsenic in urine at end of workweek

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Grey

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Odorless Water Solubility: Insoluble **Boiling Point:** N/A Melting Point: N/A Flash Point: N/A Autoignition Temperature: N/A Density: N/A Molecular weight: N/A

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Acids, Bases, Halogens, Interhalogens, Oxidizing agents

Incompatible Conditions: Protect against electrostatic charges

Hazardous Decomposition Products: Metal oxide fume, Hydrogen telluride, Arsenic oxides (As2O_x), Silicon

oxide

11. Toxicological Information

Potential Health Effects:

Eyes: Harmful

Skin: Irritant – toxin is not easily absorbed through skin

Ingestion: Fatal Inhalation: Fatal

Chronic: Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In

severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma, and death. Chronic arsenic poisoning may cause disturbances of the

digestive system such as loss of appetite, cramps, nausea, constipation

or diarrhea.

Tellurium is converted in the body to dimethyl telluride which imparts a garlic-like odor to the breath and sweat. Heavy exposure may result in headache, drowsiness, metallic taste, loss of appetite, nausea, tremors,

convulsions, and respiratory arrest.

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: Confirmed carcinogen

EPA-A, IARC-1, ACGIH-A1, NTP-K

12. Ecological Information

Aquatic Toxicity:

Persistent Bioaccumulation Toxicity:

Very Persistent, Very Bioaccumulative:

Notes:

High Research

No No

Very toxic for aquatic organism.

May cause long lasting harmful effect on aquatic life.

Do not allow material to be released to the environment without proper

governmental permits.

Danger to drinking water if even extremely small quantities leak into

the ground.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Target or large ingot:



Hazard Class: 9 Miscellaneous hazardous substances

Packing Group: II UN Number: UN3077

Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s. (Tellurium arsenic

selenium sulfur germanium silicon)

Hazardous: All other forms:



Hazard Class: 6.1 Toxic substances

Packing Group: II UN Number: U

Proper Shipping Name: Arsenic compounds, solid, inorganic, n.o.s. (Tellurium arsenic

selenium sulfur germanium silicon)

15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: Components

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 09/14/2015