

# LTS Research Laboratories, Inc. Safety Data Sheet Titanium Silicon Alloy

## 1. Product and Company Identification

Trade Name: Titanium silicon alloy

Chemical Formula: Ti-Si

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

### 2. Hazards Identification

Signal Word: Warning



Hazard Statements: H228 Flammable solid - powder

H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary Statements: P210 Keep powder away from heat/spark/flame. No smoking.

P261 Avoid breathing dust/fume/vapor

P305+P351 If in eyes: Rinse cautiously with water for several minutes.

HMIS Health Ratings (0-4): Powder Pieces or higher

Health: 1 1 Flammability: 2 0 Physical: 2 1

## 3. Composition

Chemical Family: Intermetallic compound Additional Names: Titanium silicide

Titanium (Ti):

Percentage: 0-100 wt% CAS #: 7440-32-6 EC #: 231-142-3

Silicon (Si):

Percentage: 0-100 wt% CAS #: 7440-21-3 EC #: 231-130-8

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None **Important Symptoms:** None Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Give one to two glasses of water and induce vomiting. Never induce Ingestion: vomiting or give anything by mouth to an unconscious person. Wash affected area with mild soap and water. Remove any Skin: contaminated clothing. Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable, except as powder Extinguishing Media: Do not use water for metal fires – use CO<sub>2</sub>, sand, extinguishing powder. Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution. **Environmental Precautions:** 7. Handling and Storage **Handling Conditions:** Wash thoroughly after handling. **Storage Conditions:** Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: None

Permissible Exposure Limits: None Threshold Limit Value: None

Special Equipment: None

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics	
Color	Grey
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	N/A
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents, Bases
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause serious irritation
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	Inorganic silicon compounds may be acute inhalation irritants.
	Prolonged inhalation may cause pulmonary fibrosis known as silicosis
	Titanium compounds are considered physiologically inert. There are
	no reported cases in the literature where titanium as such has caused
	human intoxication
G:	N/A
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	N/A
	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

### 14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 4.1 Flammable solids

Packing Group: III UN Number: UN3178

Proper Shipping Name: Flammable solid, inorganic, n.o.s. (Titanium silicide)

## 15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A Sec 313 Toxic Chemicals: No

#### 16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Research

Document Last Revised: 04/28/2015 topatories inc.