

LTS Research Laboratories, Inc. Safety Data Sheet Yttrium Silicide

1. Product and Company Identification

Trade Name: Yttrium silicide

Chemical Formula: YSi₂

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228: Flammable solid

H315 Causes skin irritation

H319 Causes serious eye irritation H335: May cause respiratory irritation

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking

P261 Avoid breathing dust/fume/vapor

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do –

continue rinsing P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4): Powder Bulk Health: 1 0

Flammability: 2 0 Physical: 2 0

3. Composition	
Chemical Family:	Ceramic
Additional Names:	None
Yttrium silicide (YSi ₂):	
Percentage:	100 wt%
CAS #:	12067-55-9
EC #:	NIL
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek medical attention.
Skin:	Wash affected area with mild soap and water. Remove any
P	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable, except as powder
Extinguishing Media: Spec. Fire Fighting Procedure:	Do not use water for metal fires – use CO ₂ , sand, extinguishing powder Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Handle under dry protective gas. Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under dry
Work/Hygienic Maintenance:	inert gas. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 1 mg/m³ as Y, long-term value Threshold Limit Value: 1 mg/m³ as Y, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a

backup to engineering controls. Risk assessment should be performed

to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Grey

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: **Odorless** Water Solubility: Insoluble **Boiling Point:** N/A 1760 °C Melting Point: Flash Point: N/A Autoignition Temperature: N/A 4.39 g/cc Density:

Molecular weight: 145..08 g/mol

10. Reactivity

Stable under recommended storage conditions Stability: Halogens, Interhalogens, Oxidizing agents Reacts With:

Incompatible Conditions: Air, Water/moisture Hazardous Decomposition Products: Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: May cause irritation Skin: May cause irritation Ingestion: May cause irritation Inhalation: May cause irritation

Chronic: N/A

Signs & Symptoms: N/A **Aggravated Medical Conditions:** N/A

Median Lethal Dose: 3160 mg/kg for rat by mouth

N/A Carcinogen:

12. Ecological Information

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No No Very Persistent, Very Bioaccumulative: Notes: N/A

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 4.1 Flammable solids, self-reactive substances and solid desensitized

explosives

Packing Group:

UN Number: UN3178

Proper Shipping Name: Flammable solid, inorganic, n.o.s. (Yttrium silicide)

15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A Sec 313 Toxic Chemicals: No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/22/2015